

City of Poplarville
Public Water Supply Name

MISSISSIPPI STATE DEPARTMENT OF HEALTH

BUREAU OF PUBLIC WATER SUPPLY

CALENDAR YEAR 2009 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM

	Public water Supply Name
	O55006 (055006) PEARL RIVER GO. WHITH ACK List PWS ID #s for all Water Systems Covered by this CCR
water s	ral Safe Drinking Water Act requires each <i>community</i> public water system to develop and distribute a confidence report (CCR) to its customers each year. Depending on the population served by the public em, this CCR must be mailed to the customers, published in a newspaper of local circulation, or provided to ners upon request.
Pleașe .	swer the Following Questions Regarding the Consumer Confidence Report
V	customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)
	Advertisement in local paper On water bills Other
	Date customers were informed: <u>06/01/</u> 2010
	CCR was distributed by mail or other direct delivery. Specify other direct delivery methods:
,	ate Mailed/Distributed:/_/
	CR was published in local newspaper. (Attach copy of published CCR or proof of publication) Iame of Newspaper: The PoplarVille Democrat
	Pate Published: 06/10/20/0
	CR was posted in public places. (Attach list of locations) Pate Posted: 05/21/2010 C The Poplarville City HA!
	CR was posted on a publicly accessible internet site at www
<u>CERTI</u>	<u>ICATION</u>
system and cor the Mis	the form and manner identified above. I further certify that the information included in this CCR is true and is consistent with the water quality monitoring data provided to the public water system officials by sippi State Department of Health, Bureau of Public Water Supply.
1/1 Nanie/	Ly Slens 1Ayor Gune 17, 10 If (President, Mayor, Owner, etc.) Date
	Mail Completed Form to Ruseau of Public Water Supply/P O. Roy 1700/Jackson MS 30215

Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215 Phone: 601-576-7518

2009 Annual Drinking Water Quality Report City of Poplarville PWS#: 0550006 May 2010

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from two wells drawing from the Miocene Series Aquifer. The City of Poplarville purchases water from the Pearl River County Utility Authority.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. The general susceptibility rankings assigned to each well of this system are provided immediately below. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the City of Poplarville have received moderate susceptibility rankings to contamination.

If you have any questions about this report or concerning your water utility, please contact Samuel E. Hale at 601.795.8161. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the first & third Tuesdays of each month at 5:00 P.M. at the City Hall.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that we detected during for the period of January 1st to December 31st, 2009. In cases where monitoring wasn't required in 2009, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that rap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Treatment Technique (TT) - A treatment technique is a required process intended to reduce the level of a contaminant in drinking water.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) – The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

TEST RESULTS - 550006												
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measurement	MCLG	MCL	Likely Source of Contamination				

8. Arsenic	N	2006*	.583	No Range	ppb		n/a	50	D Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes
10. Barium	N	2006*	.019	.006019	Ppm		2	:	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
16. Fluoride**	N	2006*	.651	.224651	ppm		4	•	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2008*	2	0	ppb		0	AL=1	5 Corrosion of household plumbing systems, erosion of natural deposits
66. Ethylbenzene	N	2008*	1.14	No Range	ppb		700	70	Discharge from petroleum refineries
76. Xylenes	N	2008*	.0005	No Range	ppm		10	1(D Discharge from petroleum factories; discharge from chemical factories
Disinfection	n By-	Products	8						
81. HAA5	N	2007*	.2	No Range	Range ppb		60 By-Product of drin		-Product of drinking water infection.
Chlorine	N	2009	.79	.5079	ppm	0			Water additive used to control

^{*} Most recent sample. No sample required for 2009.

** Fluoride level is routinely adjusted to the MS State Dept of Health's recommended level of 0.7 - 1.3 mg/l.

			TE	ст ресін	TC 5500	161		
Contaminant	Violation Y/N	Date Collected	Level Detected	1		MCLG	MCL	Likely Source of Contaminatio
Microbiolo	gical C	ontamin	ants					
1. Total Coliform Bacteria	Y	May	Monitoring		NA 0 pre		ence of coliform vacteria in 5% of nonthly samples	
Volatile Or	ganic (Contami	nants					
76. Xylenes	N	2009	1.10	No Range	ppm	10	10 10 Discharge from petroleur factories; discharge from chemical factories	
Disinfection	n By-Pr	oducts						
Chlorine	Υ	May 1	1.03 .6	8 – 1.03	ppm	0 MD	RL = 4	Water additive used to control microbes

Microbiological Contaminants:
(1) Total Coliforms are bacteria that are naturally present in the environment and are used as an indicator that other, potentially-harmful, bacteria may be present. Coliforms were found in more samples than allowed and this was a warning of potential problems.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period. The Mississippi State Department of Health (MSDH) required public water systems that use chlorine as a primary disinfectant to monitor/test for chlorine residuals as required by the Stage 1 Disinfection By-Products Rule. The Pearl River County Utility Authority water system failed to complete these monitoring requirements in May of 2009. The sample was collected but marked "Monitoring" instead of "Routine. The operator was instructed that, in the future, the monthly water sample collected at the Fluoride Building is to be marked as "Routine". The sample showed no bacteria in the water supply.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing for \$10 per sample. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

The City of Poplarville works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

STATE OF MISSISSIPPI COUNTY OF PEARL RIVER

PERSONALLY CAME before me, the undersigned, a notary public in and for PEARL RIVER County, Mississippi, Tom Andrews, Publisher THE POPLARVILLE DEMOCRAT, a newspaper published in the town of POPLARVILLE, Pearl River County, In said state, who being duly sworn, deposes and says that THE POPLARVILLE DEMOCRAT is a newspaper as defined and prescribed in Senate Bill No. 203 enacted at the regular session of the Mississippi Legislature of 1948, amending Section 1858, of the Mississippi Code of 1942, and that the publication of a notice, of which the annexed is a copy, In the matter of

			1342, and that the pu	iblication of	^
notice, of which the	annexed is a copy, Ir	Wate	N Qual	ity	Report
has been made in s to wit:			_consecutively	I	v
On The	10th	_ day of	June		2010
On The)	_ day of	f		2010
On The		_ day of	F		2010
On The)	_ day of	f		2010
On The)	_ day of	f		2010
On The		day of	<u> </u>		2010
2022				THE REAL PROPERTY OF THE PERSON OF THE PERSO	Colonia de la co
ID # AMARILY APPAPAMENT	SWORN Topind su	Marie	me, this 2010,	<u>15</u> Was	ndly Public
TO PUBLISHING case of	City b 2009 U	OPLARVILLE DE LICE L MILLE L words space times	MOCRAT. WWW.elle W.A.Lity 3X17.5 and making proof	Repa	rt 58.43

.009 Ablusta Pricesting Finish Cycles Vigorous property. City of Popherville PMOR 2000006 Finish 2000006 May 2010 and in process to to 40 her? Ablassia (widely finish Bittery Lib report) is deposed to their precision for profil years

With planed present to you this year's Annual Qualify Wear Report. This report is educated to before you have the greatly where not arrives on eather.

If you provide the provide part is not provided by the provided property of the provided part of the part of the provided part to manufactual to defer to make the provided part of the provided part of the part of t

The room vater assumest has two received for our public roots priors in description to everall susceptibility of it in thicking roots require to describe production for the controllation. The power is expectable promised accorded controllations. The power is expected in a controllation and the controllation and contr

If you have any operation about the report or concerning your mater militor, player needed featured. If their at \$44,796-2444, We must not related continues to be informed about their searce mility. If you must be been posse, player national does meetings. They are held at the first and place Depolary of each moved at 549 p.m. at the City fails.

We consider the construction is your desiding what exceeding to Proprise and State Ince. This label below the high of the fricking years in construction.

In the construction of the construction is to provide a state of the construction of the co

In this table you will find many terms and abbreviation; you might not be familiar with. To bely you better anderstand these terms we've provided the i lowing definitions:

Arms Lord : the concentration of a constraint which, if recorded, triggers breatment at other requirements which a main system must bell Transment Technique (TT): A treatment prelimings is a registred process insteaded to reduce the level of a constrainant in detailable water.

Francisco (excepter (1)). A treatment permanen is a repaired process intended to reflect the ferril of a contactional in defaulting series.

Maximum Contentiant Level (MCL). The "Maximum All-proof" (MCL) is the highest level of a contactional that is altered in princing on the MCC Contential and the contential and t

Maximum Contembers Level Goal (MCLG) - The "Goal" (MCLG) is the kind of a contaminate in articles water below which there is no known or expect risk to health. MCLGs allow for a margin of safety.

Mexicana Residud Districtual Leaf (MEDL) - The highest level of a districtual aboved in disking water. There is contracting systems that addition of dishibition is pressure for control microbial contemporary.

Marieume Residuel Desagratum Leyel Goal (MEDLE): "The level of a draphing water disinfectual below which there is no known or expected ring of healt MEDLEs do not reflect the benefits of the use of disinferipants to continui intersobal continuionati."

100000000000000000000000000000000000000		TEST	PRE	SULT	S - 5500)06		Aug Alban saidt sa
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or F of Samples Exceeding MCL/ACL	Unit Measurement	MCLC	MCL	Likely Source of Contamination
Inorganic	Cont	uninaj	(1939) (19 1635)	they sie cdis of n	similar	634646 15		James Sauce Lead Historia
8. Arsenic	N	2008*	.583	No Range	ppb	gya .	50	inside of passed deposits, parel from outlands, specif from place and opinionies production region
10. Barium	N	2006*	.019	.006019	Ppm	2	2	Declarge of drilling water, discharge from accol priceries, crease of accord decods.
16. Fluoride	N	2006*	.651	.224651	рри	4	4	Ensure of tennel deposit, water actions which promote storing with discharge from lending and absorbed factors.
17. Lead	N	2008*	2 ''	0	ppb	0	AL= 15	Corrodice of the school planeting system, crosses of case of droves.
66. Ethylbenzene	N.	2008*	1.14	No Range	ppb	700	700	Dictage from positions
76. Xylanes	N	2008*	.0005	No Range	ppm	10	10	Dictory from provious factoric dictory fore obsessed factorics
Disinfecti	on By-	Produ	icts					on the sale
81, HAAB	N	2007*	2	No Range	ppb	0	60	By Product of display anter description
Chlorine	N.	2008	.79	.5079	ppm	0	MDRL	Prison addition and to commit admitter.

Most seem tumple. No sample required for 2000.

**Plumrist terd to routnest adjusted to the MS State Days of Health's recommended level of 0.7 - 1.3 mg/l.

all species		TES	T RE	SULT	S - 5501	161		
Contaminant	Violation Y/N	Date Collected	Leyel Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Medstrement	MCLC	MCL	Likely Source of Contamination
Microbiol	ogica	Cont	amina	nts	artik erze			ega tradult.
l, Total Coliform Bacteria	. у	May	Monitoring	1,000	NA ·	0	process of factors in accepts in	nistana 19. ul 19. ul 18. un metanaca maka
Volatile O	rgani	c Con	amina	nts		44.1.1		American Description
6. Xylenes	N	2009	1.10	No Range	ppm	. 10	10	Dictary from privacy factors; dictary from chancel factors.
Disinfecti	on By	-Prod	ects			en e Control		
Chlorine	Ϋ́	May	1.09	.68 - 1.03	ppm	0	MDRL=	Wast adding used to provide adoutes.
	2000					4	1000	Percentage of

(1) Total Colform. Colfform to bacteris thin are searcely present in the restreament and are used as an indicator that other potentially harmful, hasteris may be present, Colforms were found in more samples than allowed and this was a warning or potential problem.

We are required to goodles over detailing require for could constituents as a soundby bank. Results of regular medicaring are an indication of whether or one sor detailing region must be find a patients. It is different to some systems update the programment of behavior of one of the conscious present requirements. MSDH now notifies systems of get mining ranging parts to be end of the conscious present. The Miningson of the present of the Miningson of the present of the Miningson of the State of Distinction of the State of Distinction of the State of Distinction of State of the State of Distinction State of the State of Distinction of State of the State of Distinction of State o

If present, clerated levels of lead can cause rejoins beautif problems, specially for pregnant waters and young children. Local of childing water is pulturally from materiate just composing assentiated with service lines and thome journaling. Use, White Association is responsible for providing high quality displaying year, bot caused control the training of an attribute used in plumoin, components. When your water he bere sainting for sperial levels, you can include the potential for its action with property of the provided provided to the provided of the provided provided by the provided provided provided by the provided by the

one mel as persons with camer underpoint demonstratery, persons who have underpose or ages immediately to the 11 M/L of the content of the co

CITY OF POPLARVILLE

WATER & SEWER

200 HWY. 26 EAST

(601) 795-8161

POPLARVILLE, MS 39470

SERVICE FROM 04-27-10 TO 05-26-10 29 days

ACCT. 13111010: 905 SOUTH SHIVERS CONSUMPTION AMOU

12085

12064

21 NORM READ

RETURN THIS STUB WITH YOUR REMITTANCE TO:

CITY OF POPLARVILLE

WATER & SEWER

200 HWY, 26 EAST POPLARVILLE, MS 39470

PAYMENTS 49.35CR WATER 19.50

SEWER 16.25 GARBAGE 12.10

PRCUA SURCHARGE 1.50

ACCT. NO. TOTAL DUE 49.35 13111010 BILLING DATE

__05-28-10

06-15-10

PRESORTED

FIRST CLASS MAIL U.S. POSTAGE PAID

POPLARVILLE, MS

PERMIT NO. 2

WE ARE AN EQUAL OPPORTUNITY SERVICE PROVIDER

05-28-10 | PREVIOUS BALANCE 49.35 DUE 06-15-10 1007/1600E 49.35

JOHN HANCOCK 905 S. SHIVERS ST. POPLARVILLE MS 39470

The 2009 Drinking Water Quality

Report (CCR) will be published in the June 10 Poplar Viller Bentler Jenind III III III